


MANUAL DE MONTAGEM

ASSEMBLY INSTRUCTIONS

INSTRUCCIONES DE MONTAJE

NOTICE DE MONTAGE

MONTAGEANLEITUNG



COD: 29700

COD. 1668



B

COD. 2661




C

COD. 0634




D

COD. 2077




E

COD. 0357




F

LED




G

COD. 4439



H

COD. 9070



I

COD. 0607



J

COD. 0348



K

COD. 0338



L

COD. 10063




M

COD. 9895



N

COD. 12190



O

COD. 2088




P

COD. 1533



Q

COD. 8056




R

COD. 6533




S

COD. 3557




T

COD. 3706



U

COD. 1861




V

COD. 6244




X


COD. 3527



Z






DESCRIÇÃO/DESCRIPTION/DESCRIPCIÓN/DESCRIPTION/BESCHREIBUNG



L:900mm A:1782mm P:458mm
W:35.43in H:70.15in D:18.03in
L:900mm A:1782mm P:458mm
L:900mm H:1782mm P:458mm
B:900mm H:1763mm T:458mm


CÓD:29700							
PEÇA PART PIEZA PIECE STÜCK	QUANTIDADE QUANTITY CANTIDAD QUANTITÉ MENGE	DESCRIÇÃO	DESCRIPTION	DESCRIPCIÓN	DESCRIPTION	BESCHREIBUNG	CAIXA BOX CAJA BOÎTE BOX
01	01	PAINEL TRASEIRO	BACK PANEL	PANEL TRASERO	PANNEAU ARRIÈRE	HINTERES PANEEL	01
02	01	PAINEL FRONTAL	FRONT PANEL	PANEL FRONTAL	PANNEAU ANTÉRIEURE	MITTLERES PANEEL	01
03	01	BASE	BASE	BASE	BASE	BASE	02
05	02	SARRAFO LATERAL TRAS.	BACK SIDE BATTEN	SOPORTE LATERAL TRASERO	LATTE LATÉRALE DERRIÈRE	HINTERE SEITENHOLZLEISTE	01
06	02	LATERAL	SIDE	LATERAL	CÔTÉ	SEITE	02
07	01	TAMPO	TOP BOARD	CUBIERTA	PLATEAU	PLATTE	02
08	01	FRENTE GAVETA	DRAWER FRONT	FRENTE DEL CAJÓN	FAÇADE DE TIROIR	SCHUBLADENFRONT	02
09	02	LATERAL GAVETA	DRAWER SIDE	LATERAL DEL CAJÓN	CÔTÉ DE TIROIR	SCHUBLADENSEITE	01
10	02	CONTRA FUNDO GAVETA	DRAWER BACK PANEL	CAJÓN INFERIOR	DERRIÈRE DE TIROIR	SCHUBLADENRÜCKWAND	01
11	01	FUNDO GAVETA	DRAWER BOTTOM	FONDO DEL CAJÓN	FOND DE TIROIR	SCHUBLADENBODEN	02
12	01	FUNDO	BACKPLATE	FONDO	FOND	RÜCKWAND / BODEN	02
60	02	BASE ACO	STEEL BASE	BASE DE ACERO	BASE EN ACIER	STAHLBASIS	03

DESCRIÇÃO/DESCRIPTION/DESCRIPCIÓN/DESCRIPTION/BESCHREIBUNG




2Kg = 4Lb
5Kg = 11Lb


01




02





03




04





05



06




07



Utilize a cola PVA antes de aparafusar.
 Use the PVA glue before screwing.
 El uso de pegamento PVA antes de atornillar.
 Utilisez la colle PVA avant de visser.
 Vor dem Verschrauben verwenden Sie PVA-Kleber.

08



*FACE COM ACABAMENTO PARA CIMA.

*FINISHED SIDE FACING UP.


*LADO ACABADO HACIA ARRIBA.

*FINITION FACE UP.


*FACE UP FINISH.

09

1º



2º



10





*FACE COM ACABAMENTO PARA CIMA.

*FINISHED SIDE FACING UP.

*LADO ACABADO HACIA ARRIBA.

*FINITION FACE UP.




*FACE UP FINISH.



11

! Atenção / Atención / Attention / Atención /Achtung

A APLICAÇÃO DO INTORRUPTOR DEVE SER FEITA NESTA ETAPA.
THE LIGHT SWITCH MUST BE ASSEMBLED IN THIS STEP.
LA INSTALACIÓN DEL CONMUTADOR DEBE REALIZARSE EN ESTE PASO.
LA DEMANDE INTORRUPTEUR DOIT ÊTRE FAITE À CETTE ÉTAPE.
DER INTORRUPTOR-ANTRAG MUSS IN DIESEM SCHRITT ERFOLGT WERDEN.



12

! Atenção / Attention / Atención

*A aplicação do produto LED deve ser feita nesta etapa.

*The LED lights must be assembled in this step.

*La instalación del LED debe realizarse en este paso.

*L'application du produit doit se faire à cette étape.

*Die Einstellung des LED-Produkts sollte zu diesem Zeitpunkt erfolgen.




KIT FITA 1050 M
COM INTERRUPTOR
ENTRADA: 100-240Vac 50/60Hz 0,3A
POTÊNCIA: 10W
GRAU DE PROTEÇÃO: IP20

LED LIGHTS SET 1050 m
WITH SWITCH
INPUT: 100 - 240 Vac 50/60Hz 0,3A
POWER: 10W
PROTECTION: IP20.

KIT FITA 1050 M
COM INTERRUPTOR
ENTRADA: 100-240Vac 50/60Hz 0,3A
POTENCIA: 10W
GRADO DE PROTECCIÓN: IP20


KIT RUBAN 1050M
AVEC D'INTERRUPTEUR
TENSION: 100-240Vac 50/60Hz 0,3A
PUISSANCE: 10W
INDICE DE PROTECTION: IP20



KABEL 1050M
MIT SCHALTER
EINGANG: 100-240 V AC, 50/60 Hz, 0,3 A
LEISTUNG: 10W
SCHUTZART: IP20







FITA LED

FITA LED






Medidas para realizar a furação da parede
(em milímetros).
Measurement to drill the wall
(in millimeters).
Medidas para realizar la perforación de la pared
(en milímetros).
Mesures pour percer le mur
(en millimètres).
Maße zum Bohren der Wand
(in Millimetern).





16

1



2



17

